


The state of the s


*	Title: Mini	79.1067-001 Imal Maintenance Link to Support George Rodney Nelson, Jr., et. al
	SSH	
	7	33 34 35
UNASS 16MED	\[\begin{align*}	30 31 32 33 EPOCH
UNASS	48 49 ST	
	34 12	[5]
	3 32 33	1 91P 11P
,	day ACTIVE	A1 A2
	2 3 · · · 2 2 - · · · 2 2 2 2 2 2 2 2	53 34 35 197 198 A1 A2 L 24 Line
-	N - N	FPCH Saw MILLS
	Heartleat slot timing (as received by base station)	Lan slot timing tas transmitted by base station FR
	<u>8</u>	· •


Docket: 2479.1067-001


Title: Minimal Maintenance Link to Support In Price Corner Rodney Nelson, Jr., et. a.



Docket: 2479.1067-001







逆.

ill that then this


÷.

Docket: 2479.1067-001

Title: Minimal Maintenance Link to Support...

Docket: 2479.1067-001

Title: Minimal Maintenance Link to Support...
In autors: George Rodney Nelson, Jr., et. al



that are any may can be it of the that then that of that who is

Docket: 2479.1067-001
Title: Minimal Maintenance Link to Support...
It tors: George Rodney Nelson, Jr., et.

assignment of traffic Channels	for data transfers	yes	No	<u>(</u>)
timing reference	4	pilot symbol sequence.	Short PN codes	none	
synchmization champels		Lam + traffic	Lam+ heartheat	none	
mode		active	standloy	idle	